

届出可能な標準文字の例 (JISX0213範囲外のIBM拡張文字)

No	文字	Unicode	Windows-31J
1	任	U+4EFC	0xFA6A
2	但	U+4F39	0xFA6D
3	俚	U+4FCD	0xFA73
4	僦	U+4FFF	0xFA76
5	僣	U+50F4	0xFA7C
6	倣	U+50D8	0xFA7D
7	癯	U+5164	0xFA80
8	洽	U+51BE	0xFA82
9	夙	U+51EC	0xFA83
10	尢	U+529C	0xFA85
11	効	U+52C0	0xFA87
12	邵	U+5372	0xFA8C
13	赧	U+53DD	0xFA8F
14	夔	U+FA0E	0xFA90
15	垚	U+5759	0xFA96
16	垠	U+5765	0xFA97
17	壙	U+58B2	0xFA9E
18	麥	U+5953	0xFAA0
19	翯	U+5963	0xFAA3
20	妹	U+59BA	0xFAA5
21	崧	U+5CF5	0FAAE
22	嶺	U+5DD0	0FAB6
23	鉅	U+5F21	0FAB7
24	愬	U+605D	0FABC
25	悅	U+6085	0FABD
26	愠	U+60DE	0FABF
27	愠	U+6120	0FAC1
28	慍	U+6111	0FAC3
29	或	U+6213	0FAC7
30	教	U+654E	0FACD
31	昂	U+663B	0FAD0
32	昂	U+662E	0FAD2
33	晴	U+FA12	0FAD8
34	脛	U+670E	0FADF
35	欒	U+6AE2	0FAF2
36	沔	U+6C6F	0FAF8
37	涪	U+6D6F	0FAFC
38	泣	U+6D96	0FB40
39	清	U+6DF8	0FB43
40	澆	U+6DF2	0FB44
41	洵	U+6E39	0FB46
42	獫	U+7324	0FB5D
43	珣	U+73BD	0FB60
44	肆	U+73D2	0FB64
45	瑤	U+73F5	0FB66
46	瑁	U+7429	0FB69
47	皂	U+7682	0FB70
48	益	U+FA17	0FB75
49	礫	U+787A	0FB7B
50	礼	U+FA18	0FB7D
51	靖	U+FA1C	0FB86
52	精	U+FA1D	0FB89
53	羨	U+7FA1	0FB91
54	羽	U+FA1E	0FB92

No	文字	Unicode	Windows-31J
55	奉	U+83F6	0xFB97
56	董	U+856B	0xFB9C
57	螻	U+8807	0FBA1
58	諛	U+8B53	0FBAB
59	赶	U+8D76	0FBB0
60	赳	U+FA23	0FBB1
61	軌	U+8ECF	0FBB2
62	逸	U+FA25	0FBB4
63	遑	U+9067	0FBB5
64	釵	U+91DE	0FBBC
65	鈛	U+9206	0FBC1
66	鉷	U+9277	0FBCD
67	銑	U+FA27	0FBD3
68	銑	U+92D5	0FBD4
69	銑	U+FA28	0FBDA
70	銑	U+93A4	0FBE1
71	銑	U+93F8	0FBE4
72	銑	U+9431	0FBE5
73	鏞	U+9448	0FBE7
74	閒	U+9592	0FBE8
75	陽	U+FA29	0FBEA
76	霍	U+9743	0FBEF
77	青	U+9751	0FBF2
78	飯	U+FA2A	0FBF6
79	飼	U+FA2B	0FBF7
80	餽	U+9927	0FBF8
81	館	U+FA2C	0FBF9
82	高	U+9AD9	0FBFC
83	鯨	U+9BBB	0FC45
84	鶴	U+FA2D	0FC49

届出可能な標準文字の例 (JISX0213に含まれるIBM拡張文字)

No	文字	面区点	Shift JIS	Unicode	Windows-31J
1	𠄎	1-14-04	0x87A2	U+4E28	0xFA68
2	𠄏	1-14-08	0x87A6	U+4EE1	0xFA69
3	𠄐	1-14-11	0x87A9	U+4F03	0xFA6C
4	𠄑	1-14-16	0x87AE	U+4F56	0xFA6E
5	𠄒	1-14-21	0x87B3	U+4F8A	0xFA70
6	𠄓	1-14-22	0x87B4	U+4F94	0xFA72
7	𠄔	1-14-25	0x87B7	U+4FC9	0xFA61
8	𠄕	1-14-33	0x87BF	U+5040	0xFA74
9	𠄖	1-14-36	0x87C2	U+5094	0xFA7B
10	𠄗	1-14-47	0x87CD	U+514A	0xFA7E
11	𠄘	1-14-52	0x87D2	U+519D	0xFA81
12	𠄙	1-14-61	0x87DB	U+5215	0xFA84
13	𠄚	1-14-71	0x87E5	U+52DB	0xFA88
14	𠄛	1-14-75	0x87E9	U+5300	0xFA89
15	𠄜	1-14-76	0x87EA	U+5307	0xFA8A
16	𠄝	1-14-82	0x87F0	U+5393	0xFA8D
17	𠄞	1-14-84	0x87F2	U+53B2	0xFA8E
18	𠄟	1-14-88	0x87F6	U+549C	0xFA91
19	𠄠	1-15-01	0x8840	U+54A9	0xFA93
20	𠄡	1-15-03	0x8842	U+54FF	0xFA94
21	𠄢	1-15-10	0x8849	U+5586	0xFA95
22	𠄣	1-15-43	0x886A	U+FA0F	0xFA9B
23	𠄤	1-15-46	0x886D	U+57C7	0xFA9A
24	𠄥	1-15-47	0x886E	U+57C8	0xFA99
25	𠄦	1-15-55	0x8876	U+FA10	0xFA9C
26	𠄧	1-15-61	0x887C	U+589E	0xFA9D
27	𠄨	1-15-73	0x8889	U+595D	0xFAA2
28	𠄩	1-15-77	0x888D	U+59A4	0xFAA4
29	𠄪	1-47-54	0x9875	U+5B56	0xFAA6
30	𠄫	1-47-57	0x9878	U+5BD8	0xFAA9
31	𠄬	1-47-58	0x9879	U+5BEC	0FAAA
32	𠄭	1-47-60	0x987B	U+5C1E	0FAAB
33	𠄮	1-47-73	0x9889	U+5CBA	0FAAD
34	𠄯	1-47-81	0x9891	U+5D27	0FAAF
35	𠄰	1-47-82	0x9892	U+FA11	0FAB1
36	𠄱	1-47-85	0x9895	U+5D53	0FAB0
37	𠄲	1-47-87	0x9897	U+5D6D	0FAB3
38	𠄳	1-47-92	0x989C	U+5DB8	0FAB4
39	𠄴	1-84-22	0xEAB4	U+5F34	0FAB8
40	𠄵	1-84-26	0xEAB8	U+5F45	0FA67
41	𠄶	1-84-30	0xEABC	U+5F67	0FAB9
42	𠄷	1-84-37	0xEAC3	U+5FB7	0FABA
43	𠄸	1-84-39	0xEAC5	U+5FDE	0FABB
44	𠄹	1-84-53	0xEAD3	U+60D5	0FAC0
45	𠄺	1-84-58	0xEAD8	U+6130	0FAC5
46	𠄻	1-84-59	0xEAD9	U+6137	0FAC4
47	𠄼	1-84-84	0xEAF2	U+63F5	0FAC9
48	𠄽	1-84-90	0xEAF8	U+6460	0FACA
49	𠄾	1-84-92	0EAF8	U+64CE	0FACC
50	𠄿	1-85-12	0xEB4B	U+6600	0FACE
51	𠅀	1-85-13	0xEB4C	U+6609	0FAD1
52	𠅁	1-85-14	0xEB4D	U+6615	0FACF
53	𠅂	1-85-15	0xEB4E	U+661E	0FAD3
54	𠅃	1-85-18	0xEB51	U+6624	0FAD4
55	𠅄	1-85-21	0xEB54	U+6631	0FA63

届出可能な標準文字の例 (JISX0213に含まれるIBM拡張文字)

No	文字	面区点	Shift JIS	Unicode	Windows-31J
56	昇	1-85-23	0xEB56	U+66FB	0xFA66
57	唆	1-85-27	0xEB5A	U+6659	0xFAD7
58	皖	1-85-30	0xEB5D	U+6665	0xFAD5
59	皙	1-85-31	0xEB5E	U+6673	0xFAD9
60	皑	1-85-36	0xEB63	U+66A0	0xFADB
61	皞	1-85-37	0xEB64	U+66B2	0xFADC
62	曹	1-85-44	0xEB6B	U+66FA	0FADE
63	朗	1-85-46	0xEB6D	U+F929	0FAE0
64	杓	1-85-48	0xEB6F	U+6766	0FAE1
65	柅	1-85-56	0xEB77	U+67BB	0FAE2
66	披	1-85-58	0xEB79	U+67C0	0FAE4
67	柳	1-85-61	0xEB7C	U+6801	0FAE5
68	栞	1-85-62	0xEB7D	U+6852	0FAE3
69	栢	1-85-73	0xEB89	U+68C8	0FA64
70	楨	1-85-88	0xEB98	U+6968	0FAE9
71	桴	1-85-90	0xEB9A	U+FA14	0FAEA
72	櫓	1-86-02	0EBA0	U+69E2	0FAEC
73	横	1-86-16	0EBAE	U+6A6B	0FAEE
74	櫓	1-86-17	0EBAF	U+6A73	0FAF0
75	櫓	1-86-24	0EBB6	U+6AE4	0FAF3
76	毖	1-86-43	0EBC9	U+6BD6	0FAF4
77	汜	1-86-50	0EBD0	U+6C5C	0FAF6
78	沆	1-86-55	0EBD5	U+6C86	0FAF7
79	洄	1-86-65	0EBDF	U+6D04	0FAFA
80	涇	1-86-75	0EBE9	U+6D87	0FAFB
81	滓	1-86-79	0EBED	U+6DAC	0FB41
82	淼	1-86-86	0EBF4	U+6DFC	0FB45
83	湜	1-86-90	0EBF8	U+6E5C	0FB47
84	澈	1-87-15	0EC4E	U+6F88	0FB4B
85	濱	1-87-27	0EC5A	U+6FF5	0FB4D
86	滢	1-87-28	0EC5B	U+7005	0FB4E
87	瀨	1-87-30	0EC5D	U+7028	0FB50
88	炅	1-87-37	0EC64	U+7085	0FB51
89	炫	1-87-39	0EC66	U+70AB	0FB52
90	煦	1-87-44	0EC6B	U+710F	0FB53
91	煨	1-87-50	0EC71	U+7146	0FB56
92	煇	1-87-51	0EC72	U+7147	0FB57
93	煜	1-87-55	0EC76	U+715C	0FB55
94	熙	1-87-58	0EC79	U+FA15	0FB58
95	燁	1-87-62	0EC7D	U+71C1	0FB59
96	燾	1-87-65	0EC81	U+71FE	0FB5A
97	狢	1-87-73	0EC89	U+72BE	0FB5C
98	猪	1-87-79	0EC8F	U+FA16	0FB5E
99	珉	1-87-89	0EC99	U+73C9	0FB61
100	珰	1-87-91	0EC9B	U+73D6	0FB62
101	珣	1-87-93	0EC9D	U+73E3	0FB63
102	琇	1-88-01	0EC9F	U+7407	0FB65
103	琦	1-88-06	0ECA4	U+7426	0FB67
104	琪	1-88-08	0ECA6	U+742A	0FB68
105	琮	1-88-11	0ECA9	U+742E	0FB6A
106	琤	1-88-19	0ECB1	U+7462	0FB6B
107	璉	1-88-24	0ECB6	U+7489	0FB6C
108	璜	1-88-27	0ECB9	U+749F	0FB6D
109	瓶	1-88-39	0ECC5	U+7501	0FB6E
110	甯	1-88-41	0ECC7	U+752F	0FAA8

届出可能な標準文字の例 (JISX0213に含まれるIBM拡張文字)

No	文字	面区点	Shift JIS	Unicode	Windows-31J
111	𪛗	1-88-42	0xECC8	U+756F	0xFB6F
112	𪛘	1-88-65	0xECDF	U+769B	0xFB73
113	𪛙	1-88-67	0xECE1	U+769E	0xFB72
114	𪛚	1-88-68	0xECE2	U+76A6	0xFB74
115	𪛛	1-88-82	0xECF0	U+7746	0xFB76
116	𪛜	1-89-02	0xED41	U+784E	0xFB79
117	𪛝	1-89-28	0xED5B	U+FA19	0xFB7E
118	𪛞	1-89-29	0xED5C	U+FA1A	0xFB80
119	𪛟	1-89-33	0xED60	U+FA1B	0xFB82
120	𪛠	1-89-56	0xED77	U+7AE8	0xFB87
121	𪛡	1-89-67	0xED83	U+7B9E	0xFB88
122	𪛢	1-90-02	0xEDA0	U+7D48	0xFB8A
123	𪛣	1-90-04	0xEDA2	U+7D5C	0xFB8B
124	𪛤	1-90-08	0xEDA6	U+7DA0	0xFB8D
125	𪛥	1-90-12	0xEDAA	U+7DD6	0xFB8E
126	𪛦	1-90-21	0xEDB3	U+7E52	0xFB8F
127	𪛧	1-90-23	0xEDB5	U+7E8A	0xFA5C
128	𪛨	1-90-25	0xEDB7	U+7F47	0xFB90
129	𪛩	1-90-76	0xEDEA	U+8301	0xFB93
130	𪛪	1-90-77	0xEDEB	U+8362	0xFB94
131	𪛫	1-90-93	0xEDFB	U+83C7	0xFB96
132	𪛬	1-91-08	0xEE47	U+8448	0xFB98
133	𪛭	1-91-15	0xEE4E	U+84B4	0xFB99
134	𪛮	1-91-24	0xEE57	U+8559	0xFB9B
135	𪛯	1-91-26	0xEE59	U+FA1F	0xFB9D
136	𪛰	1-91-32	0xEE5F	U+85B0	0xFB9E
137	𪛱	1-91-77	0xEE8D	U+88F5	0xFBA2
138	𪛲	1-91-78	0xEE8E	U+891C	0xFA5D
139	𪛳	1-91-93	0xEE9D	U+8A12	0xFBA3
140	𪛴	1-92-02	0xEEA0	U+8A37	0xFBA4
141	𪛵	1-92-08	0xEEA6	U+8A79	0xFBA5
142	𪛶	1-92-09	0xEEA7	U+8AA7	0xFBA6
143	𪛷	1-92-11	0xEEA9	U+8ADF	0xFBA8
144	𪛸	1-92-13	0xEEAB	U+8AF6	0xFBAA
145	𪛹	1-92-14	0xEEAC	U+FA22	0xFBA9
146	𪛺	1-92-26	0xEEB8	U+8CF4	0xFBAAE
147	𪛻	1-92-30	0xEEBC	U+8D12	0xFBAAF
148	𪛼	1-92-71	0xEEE5	U+90DE	0xFBB6
149	𪛽	1-92-74	0xEEE8	U+FA26	0xFBB7
150	𪛾	1-92-76	0xEEEA	U+9115	0xFBB8
151	𪛿	1-92-80	0xEEEE	U+9127	0xFBB9
152	𪜀	1-92-92	0xEEFA	U+91D7	0xFBBD
153	𪜁	1-92-94	0xEEFC	U+91E4	0xFBBD
154	𪜂	1-93-01	0xEF40	U+91E5	0xFBC0
155	𪜃	1-93-02	0xEF41	U+91ED	0xFBCD
156	𪜄	1-93-05	0xEF44	U+9210	0xFBC2
157	𪜅	1-93-07	0xEF46	U+9239	0xFBCA
158	𪜆	1-93-08	0xEF47	U+923A	0xFBC4
159	𪜇	1-93-09	0xEF48	U+923C	0xFBC6
160	𪜈	1-93-10	0xEF49	U+9240	0xFBC5
161	𪜉	1-93-13	0xEF4C	U+9278	0FBCE
162	𪜊	1-93-14	0xEF4D	U+9288	0FA5F
163	𪜋	1-93-18	0xEF51	U+92D3	0FBD6
164	𪜌	1-93-19	0xEF52	U+92E0	0FBD5
165	𪜍	1-93-20	0xEF53	U+92FF	0FBDC

届出可能な標準文字の例 (JISX0213に含まれるIBM拡張文字)

No	文字	面区点	Shift JIS	Unicode	Windows-31J
166	錡	1-93-23	0xEF56	U+9321	0xFBD8
167	鎔	1-93-24	0xEF57	U+9325	0xFBD7
168	鎔	1-93-25	0xEF58	U+9348	0xFA5E
169	鋟	1-93-31	0xEF5E	U+9370	0xFBDF
170	鎔	1-93-35	0xEF62	U+93C6	0xFBE2
171	鎔	1-93-36	0xEF63	U+93DE	0xFBE3
172	隆	1-93-61	0xEF7C	U+F9DC	0xFBE9
173	鵒	1-93-62	0xEF7D	U+969D	0xFBEB
174	隴	1-93-70	0xEF86	U+9733	0xFBED
175	雲	1-93-71	0xEF87	U+973B	0FBEE
176	鵠	1-93-72	0xEF88	U+974D	0FBF0
177	鵠	1-93-74	0xEF8A	U+974F	0FBF1
178	顗	1-94-01	0xEF9F	U+9857	0FBF4
179	顗	1-94-05	0xEFA3	U+9865	0FBF5
180	醇	1-94-11	0xEFA9	U+999E	0FBFA
181	麟	1-94-19	0EFB1	U+9A4E	0FBFB
182	鮪	1-94-35	0EFC1	U+9B72	0xFC42
183	鮪	1-94-36	0EFC2	U+9B75	0xFC41
184	鮪	1-94-39	0EFC5	U+9B8F	0xFC43
185	鰻	1-94-47	0EFCD	U+9C00	0xFC46
186	鵬	1-94-62	0EFDC	U+9D70	0xFC47
187	黑	1-94-82	0EFF0	U+9ED1	0xFC4B
188	佗	2-01-31	0xF05E	U+4F00	0xFA6B
189	佗	2-01-45	0xF06C	U+4F92	0xFA6F
190	佗	2-01-46	0xF06D	U+4F9A	0xFA71
191	倮	2-01-60	0xF07B	U+501E	0xFA77
192	倮	2-01-61	0xF07C	U+5022	0xFA75
193	倮	2-01-63	0xF07E	U+5042	0xFA7A
194	倮	2-01-64	0xF080	U+5046	0xFA78
195	倮	2-01-71	0xF087	U+5070	0xFA79
196	劦	2-03-35	0xF162	U+52A6	0xFA86
197	劦	2-03-36	0xF163	U+52AF	0FB77
198	匡	2-03-46	0xF16D	U+5324	0xFA8B
199	味	2-03-76	0xF18C	U+548A	0xFA92
200	垠	2-04-76	0xF1EA	U+57AC	0xFA98
201	爰	2-05-26	0xF259	U+590B	0xFA9F
202	萌	2-05-37	0xF264	U+595B	0FAA1
203	宍	2-08-04	0xF0A2	U+5BC0	0FAA7
204	囄	2-08-35	0xF0C1	U+5CA6	0FAAC
205	嶺	2-08-53	0xF0D3	U+5D42	0FAB2
206	嶺	2-08-71	0xF0E5	U+5DB9	0FAB5
207	慙	2-12-45	0xF2CB	U+608A	0FABE
208	慙	2-12-56	0xF2D6	U+60F2	0FAC2
209	慙	2-12-73	0xF2E7	U+6198	0FAC6
210	捫	2-13-02	0xF341	U+62A6	0FAC8
211	捫	2-13-48	0xF36F	U+649D	0FACB
212	睭	2-13-94	0xF39E	U+6657	0FAD6
213	睭	2-14-13	0xF3AB	U+6699	0FADA
214	睭	2-14-19	0xF3B1	U+66BF	0FADD
215	桃	2-14-63	0xF3DD	U+6844	0FAE6
216	梔	2-14-89	0xF3F7	U+FA13	0FAE8
217	梔	2-14-93	0xF3FB	U+68CF	0FAE7
218	桀	2-15-22	0xF455	U+6998	0FAEB
219	檣	2-15-33	0xF460	U+6A30	0FAED
220	舞	2-15-51	0xF472	U+6A46	0FAEF

届出可能な標準文字の例 (JISX0213に含まれるIBM拡張文字)

No	文字	面区点	Shift JIS	Unicode	Windows-31J
221	櫟	2-15-58	0xF479	U+6A7E	0xFAF1
222	汎	2-78-21	0xF4B3	U+6C3F	0xFAF5
223	泚	2-78-36	0xF4C2	U+6CDA	0xFAF9
224	淠	2-78-72	0xF4E6	U+6DCF	0xFB42
225	滌	2-78-80	0xF4EE	U+6E27	0xFB48
226	漢	2-78-83	0xF4F1	U+6E3C	0xFB49
227	澣	2-79-04	0xF543	U+6EBF	0xFB4A
228	漸	2-79-33	0xF560	U+6FB5	0xFB4C
229	瀆	2-79-42	0xF569	U+7007	0xFB4F
230	炆	2-79-64	0xF580	U+70BB	0xFA62
231	焄	2-79-75	0xF58B	U+7104	0xFB54
232	犳	2-80-29	0xF5BB	U+72B1	0xFB5B
233	獮	2-80-55	0xF5D5	U+7377	0xFB5F
234	皛	2-81-79	0xF68F	U+769C	0xFB71
235	硃	2-82-35	0xF6C1	U+7821	0xFB78
236	硃	2-82-38	0xF6C4	U+7864	0xFB7A
237	礪	2-82-62	0xF6DC	U+7930	0xFB7C
238	禊	2-82-71	0xF6E5	U+7994	0xFB81
239	禪	2-82-74	0xF6E8	U+799B	0xFB83
240	竝	2-83-25	0xF758	U+7AD1	0xFB84
241	竝	2-83-26	0xF759	U+7AE7	0xFB85
242	粹	2-84-39	0xF7C5	U+7DB7	0xFB8C
243	茂	2-86-19	0xF8B1	U+837F	0xFB95
244	配	2-86-53	0xF8D3	U+84DC	0xFA60
245	雲	2-86-81	0xF8EF	U+8553	0xFB9A
246	穰	2-87-24	0xF957	U+FA20	0xFB9F
247	牲	2-87-37	0xF964	U+FA21	0xFBA0
248	閭	2-88-64	0xF9DE	U+8ABE	0xFBA7
249	譚	2-88-79	0xF9ED	U+8B7F	0xFBAC
250	賸	2-89-16	0xFA4F	U+8CF0	0FBAD
251	返	2-89-78	0xFA8E	U+FA24	0FBB3
252	鈇	2-90-46	0xFACC	U+91DA	0FBBA
253	鈇	2-90-50	0xFAD0	U+91EE	0FBBE
254	鈇	2-90-52	0xFAD2	U+920A	0FBC3
255	銑	2-90-60	0xFADA	U+924E	0FBC7
256	鉑	2-90-61	0xFADB	U+9251	0FBC9
257	鉑	2-90-63	0xFADD	U+9259	0FBC8
258	鉑	2-90-67	0xFAE1	U+9267	0FBCB
259	銑	2-90-79	0xFAED	U+92A7	0FBCC
260	鉑	2-90-88	0xFAF6	U+92D0	0FBD2
261	鉑	2-90-89	0xFAF7	U+92D7	0FBD0
262	鉑	2-90-90	0xFAF8	U+92D9	0FBD1
263	鉑	2-90-92	0FAFA	U+92E7	0FBCF
264	鉑	2-91-03	0xFB42	U+92F9	0FA65
265	鑒	2-91-04	0xFB43	U+92FB	0FBD9
266	鑒	2-91-05	0xFB44	U+9302	0FBDE
267	鑒	2-91-08	0xFB47	U+931D	0FBDD
268	鑒	2-91-09	0xFB48	U+931E	0FBDB
269	鑒	2-91-16	0xFB4F	U+9357	0FBE0
270	鑒	2-91-45	0xFB6C	U+9445	0FBE6
271	隄	2-91-76	0xFB8C	U+96AF	0FBEC
272	晴	2-91-92	0xFB9C	U+9755	0FBF3
273	靦	2-93-18	0xFC51	U+9ADC	0FC40
274	鰐	2-93-42	0xFC69	U+9BB1	0FC44
275	鵠	2-94-20	0FCB2	U+9D6B	0FC48

届出可能な標準文字の例 (JISX0213に含まれるIBM拡張文字)

No	文字	面区点	Shift JIS	Unicode	Windows-31J
276	鷗	2-94-47	0xFCCD	U+9E19	0xFC4A
277	・	1-02-72	0x81e6 0x879A	U+2235	0x81E6
278	i	1-12-21	0x86b3	U+2170	0xFA40
279	ii	1-12-22	0x86b4	U+2171	0xFA41
280	iii	1-12-23	0x86b5	U+2172	0xFA42
281	iv	1-12-24	0x86b6	U+2173	0xFA43
282	v	1-12-25	0x86b7	U+2174	0xFA44
283	vi	1-12-26	0x86b8	U+2175	0xFA45
284	vii	1-12-27	0x86b9	U+2176	0xFA46
285	viii	1-12-28	0x86ba	U+2177	0xFA47
286	ix	1-12-29	0x86bb	U+2178	0xFA48
287	x	1-12-30	0x86bc	U+2179	0xFA49
288	I	1-13-21	0x8754	U+2160	0x8754
289	II	1-13-22	0x8755	U+2161	0x8755
290	III	1-13-23	0x8756	U+2162	0x8756
291	IV	1-13-24	0x8757	U+2163	0x8757
292	V	1-13-25	0x8758	U+2164	0x8758
293	VI	1-13-26	0x8759	U+2165	0x8759
294	VII	1-13-27	0x875a	U+2166	0x875A
295	VIII	1-13-28	0x875b	U+2167	0x875B
296	IX	1-13-29	0x875c	U+2168	0x875C
297	X	1-13-30	0x875d	U+2169	0x875D
298	No.	1-13-66	0x8782	U+2116	0x8782
299	TEL	1-13-68	0x8784	U+2121	0x8784
300	(株)	1-13-74	0x878a	U+3231	0x878A
301	ー(ー)	1-02-44	0x81ca	(U+FFE2) U+00ac	(0x81CA)
302	！(!)	1-09-05	0x8544	(U+FFE4) U+00a6	(0xFA55)
303	'(')	1-02-15	0x81ad	(U+FF07) U+0027	(0xFA56)
304	"(")	1-02-16	0x81ae	(U+FF02) U+0022	(0xFA57)